

Host  
(RDB No. Index)

(A)

Name of Host	RDB No.
HB101	001
C600	002
LE392	003
Q358	004
P2392	005
K802	006
490A	007
Q359	009
JM101	010
JM109	011
BNN93 (C600)	013
BNN102 (C600hfl)	014
Y1090	015
Y1088	016
DH1	017
ED8767	018
DK22	019
NM514	021
BL21	022
BL21(DE3)	023
BL21(DE3) plysE	024
BL21(DE3) plysS	025
HMS174	026
AB1380	101
JM105	103
JM107	104
NM522	105
JMB3	106
DH5	107
DH5 $\alpha$	108
XL1-Blue	109
MY1184	110
TOP10F	111
MC1061/P3	112
N-4830-1	113
AG1	114
D1210 HP	115
BMH71-18 mut S	116
DH21	117
TOP10	118
INV1 $\alpha$ F	119
D1210	120
SOLR	121
SRB	123
SRB (P2)	124
JM110	125
XS127/P3	126
CJ236	127
CJ236/P3	128
SURE	129
NM534	130
BB4	131

Name of Host	RDB No.
INV $\alpha$	132
XL1-Blue MRA P2	133
XL1-Blue MR RecA	134
XL1-Blue MRF	135
Y1090 R	136
JM109 (DE3)	137
BW313/P3	138
K1041	139
XL0LR	140
ABLE <sup>TM</sup> K	141
SCS110	142
XL1-Blue MR	143
VCS257	145
Y1089 R	146
YPH499	147
YPH500	148
YPH501	149
AM1	150
PLK-A	151
TH2	152

理化学研究所 加207"

General Catalog 54  
(No. 4 April, 1999)

Host

(TOP10F, TOP10)

RDB NO. : 111Name of Host : TOP10FSpecies : Escherichia coliGenotype : F' (tet<sup>r</sup>), mcrA Δ (mrr-hsdRMS-mcrBC), φ 80 Δ lac Δ M15, Δ lacX74 deoR, recA1, araD139, Δ (ara, leu) 7697, galU, galK, λ', rpsL (str<sup>r</sup>) endA1, nupGReference :Developer : User No.Depositor : User No.Restriction : aRDB NO. : 112Name of Host : MC1061 / P3Species : Escherichia coliGenotype : F, ara Δ 139, Δ (araABC-leu) 7696, galU, galK, Δ lacX74, (r<sub>K</sub><sup>+</sup>, m<sub>K</sub><sup>+</sup>), rpsL, chl, mcrB (P3 : amber amp<sup>r</sup>, amber tet<sup>r</sup>, Kan<sup>r</sup>)Reference :Developer : User No.Depositor : User No.Restriction : aRDB NO. : 113Name of Host : N-4830-1Species : Escherichia coliGenotype : F, su<sup>+</sup>, his<sup>+</sup>, liv<sup>+</sup>, galK Δ 8 (Δ chl D-pgI), (λ, Δ Bam, N<sup>+</sup> C1857 HI)Reference :Developer : User No.Depositor : User No.Restriction : aRDB NO. : 114Name of Host : AG1Species : Escherichia coliGenotype : recA1, endA1, gyrA96, thi-1, hsdR17 (r<sub>K</sub><sup>+</sup>, m<sub>K</sub><sup>+</sup>), SupE44, relA1Reference : BioTechniques, 5, 376-379 (1987). J. Mol. Biol., 166, 557-580 (1983).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 115Name of Host : D1210 HPSpecies : Escherichia coliGenotype : D1210 (λ, cl<sup>+</sup> 857, xis6-, kil<sup>+</sup>)Reference : Gene, 56, 131 (1987).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 116Name of Host : BMH71-18 mutSSpecies : Escherichia coliGenotype : Δ (lac-proAB), supE, thi, mutS215 :: Tn10 (tet<sup>r</sup>) / F (araD36, proAB<sup>+</sup>, lacA<sup>+</sup>, lacZ Δ M15)Reference :Developer : User No.Depositor : User No.Restriction : aRDB NO. : 117Name of Host : DH21Species : Escherichia coliGenotype : DH1 (F, lacI<sup>q</sup>, lacZ, proAB)Reference :Developer : User No.Depositor : User No.Restriction : aRDB NO. : 118Name of Host : TOP10Species : Escherichia coliGenotype : mcrA, Δ (mrr-hsdRMS-mcrBC), φ 80 Δ lac Δ M15, Δ lacX74, deoR, recA1, araD139 Δ (ara, leu), 7697, galU, galK, λ', rpsL, endA1, mupGReference :Developer : User No.Depositor : User No.Restriction : a

Host

(SOLR)

RDB NO. : 119

Name of Host : INV1 α F

Species : *Escherichia coli*

Genotype : *endA1, recA1, hsdR17m (ix<sup>+</sup>, m<sub>K</sub><sup>+</sup>), supE44,*

*λ<sup>+</sup>, thi-1, gyrA1, relA1, φ 80 lacZ Δ M15 Δ (lac*

*ZYA-argF), deoK<sup>+</sup>, F' (proAB, lacI<sup>q</sup>)*

Reference :

Developer : User No.

Depositor : User No.

Restriction : a

RDB NO. : 120

Name of Host : D1210

Species : *Escherichia coli*

Genotype : HB101 *lacI<sup>q</sup>, lacY*

Reference : Gene. 8. 279-300 (1980).

Developer : User No.

Depositor : User No.

Restriction : a

RDB NO. : 121

Name of Host : SOLR

Species : *Escherichia coli*

Genotype : *cl4<sup>+</sup> (marA<sup>+</sup>), Δ (marCB-hsdSMR-mrr)171,*

*sbcC, recB, recJ, uvrC, lac, umuC :: Tn5 (Kan<sup>r</sup>) gyrA96,*

*relA1, thi-1, endA1. λ<sup>+</sup>, [F. proAB, lacI<sup>q</sup> Z Δ M15], Su*

*(non-suppressing)*

Reference : Strategies, 5. 16-18 (1992).

Developer : User No.

Depositor : User No.

Restriction : a

RDB NO. : 123

Name of Host : SRB

Species : *Escherichia coli*

Genotype : *SbcC, recJ uvrC, umuC :: Tn5 (kan<sup>r</sup>),*

*supE44, lac, gyrA96, relA1, thi-1, endA1, Δ*

*(marCB-hsdSMR-mrr) 171, [F. proAB, lacI<sup>q</sup> Z Δ M15],*

*cl4<sup>+</sup> (marA<sup>+</sup>)*

Reference : Strategies, 4. 8-9 (1991). Strategies, 4. 37 (1991).

Developer : User No.

Depositor : User No.

Restriction : a

RDB NO. : 124

Name of Host : SRB(P2)

Species : *Escherichia coli*

Genotype : SRB (P2 lysogen)

Reference : Strategies, 4. 8-9 (1991). Strategies, 4. 37 (1991).

Developer : User No.

Depositor : User No.

Restriction : a

RDB NO. : 125

Name of Host : JM110

Species : *Escherichia coli*

Genotype : *rpsL (str<sup>r</sup>), thr, leu, thi-1, lacY, galK, galT,*

*ara, tonA, tsx, dam, dcm, supE44, hsdR17, Δ (lac-proAB)*

*[F. traD36, proAB, lacI<sup>q</sup> Z Δ M15]*

Reference : J. Mol. Biol., 166, 557 (1983). Gene. 33, 103-199 (1985).

Developer : User No.

Depositor : User No.

Restriction : a

RDB NO. : 126

Name of Host : XS127 / P3

Species : *Escherichia coli*

Genotype : *gyrA, ipoB331, thi, argE, Δ (lac-proAB), F*

*[traD36, proAB<sup>+</sup>, lacI<sup>q</sup> Z Δ M15]*

Reference : J. Mol. Biol., 166, 557 (1983).

Developer : User No.

Depositor : User No.

Restriction : a

RDB NO. : 127

Name of Host : CJ236

Species : *Escherichia coli*

Genotype : *dut1, ung1, thi-1, relA1/pCJ105 (Cam<sup>r</sup>). F*

Reference :

Developer : User No.


Depositor : User No.

Restriction : a

Host

(SURE &amp; XL1-Blue MKT)

RDB NO. : 128Name of Host : CJ236 / P3Species : Escherichia coliGenotype : dur-1, ung-1, thi-1, relA1, deoR<sup>+</sup>, pCJ105(Cam<sup>r</sup>, F), IP3 : amber amp<sup>r</sup>, amber tet<sup>r</sup>, Kan<sup>r</sup>Reference : J. Mol. Biol., 166, 557 (1983).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 129Name of Host : SURESpecies : Escherichia coliGenotype : el4<sup>+</sup> (mcrA), Δ(mcrCB-hsdSMR-mrr)171,shcC, recB, recJ, umuC :: Tn5 (kan<sup>r</sup>) uvrC, supE44, lac,gyrA96, relA1, thi-1, endA1 [F<sup>+</sup> proAB, lac<sup>r</sup> Z ΔM15,Tn10(tet<sup>r</sup>)]Reference : Strategies, 3, 5-6 (1990).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 130Name of Host : NM554Species : Escherichia coliGenotype : recA13, araD139, Δ(ara-leu) 7696, Δ(lac)17A, galU, galK, hsdR, spaL (tet<sup>r</sup>), mcrA, mcrBReference : Nuoreic Acids Res., 16, 1563-1575 (1988).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 131Name of Host : BB4Species : Escherichia coliGenotype : LE392.23 [F<sup>+</sup> lac<sup>r</sup> Z ΔM15, proAB, Tn10(tet<sup>r</sup>)]Reference : BioTechniques, 5, 376-379 (1987).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 132Name of Host : INV aSpecies : Escherichia coliGenotype : endA1, recA1, hsdR17, (tr<sup>r</sup>, m<sup>r</sup>), supE44, Δ, thi-1, gyrA96, relA1, φ 80, lacZ ΔM15 Δ(lacZYA-argF), deoR<sup>+</sup>Reference : J. Mol. Biol., 166, 557 (1983).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 133Name of Host : XL1-Blue MRA (P2)Species : Escherichia coliGenotype : XL1-Blue MRA (P2 lysogen)Reference : Strategies, 6, 24 (1993).Developer : User No.Depositor : User No.Restriction : aRDB NO. : 134Name of Host : XL1-Blue MR RecA<sup>+</sup>Species : Escherichia coliGenotype : Δ(mcrA)183, Δ(mcrCB-hsdSMR-mrr)173,endA1, supE44, thi-1, gyrA96, relA1, lacReference :Developer : User No.Depositor : User No.Restriction : aRDB NO. : 135Name of Host : XL1-Blue MRF<sup>+</sup>Species : Escherichia coliGenotype : Δ(mcrA)183, Δ(mcrCB-hsdSMR-mrr)173,endA1, supE44, thi-1, recA1, gyrA96, relA1, lac, [F<sup>+</sup>,proAB, lac<sup>r</sup> Z ΔM15, Tn10(tet<sup>r</sup>)]Reference : Strategies, 5, 81-83 (1992).Developer : User No.Depositor : User No.Restriction : a

**C127**

(B)

Cell No. : RCB0036  
Cell name : C127  
Comment : 肉腫ウイルスのfocus assayに利用され、ウシパピローマ  
ウイルスの宿主細胞としても知られる。  
Animal : mouse  
Sex : Female  
Tissue derived : mammary  
Morphology : epithelial-like  
General charact. : Host for bovine papiloma virus  
Medium and additives : DMEM+10%FBS  
Growth temperature : 37  
CO2 concentration : 5%  
Freeze medium : Medium+10%DMSO  
Adhesion efficiency : 82.4%  
Mycoplasma : -  
Isozyme analysis : LD, NP  
Chromosome diversion : 85-91(50):/86(4).87(7).88(11).89(12).90(10).91(4)  
Anchorage dependency : Yes  
Reference : 943  
Depositor : Noda, Makoto  
Restriction : a

**Back to Database Search**

## Reference 943

943 Lowy, D. R., Rands, E. and Scolnick, E. M.: J. Virol., 26, 291-298 (1978)

[Back to Database Search](#)